

期刊論文

編號	著作名稱
1	C.-C. Wang, C.-L. Chen, R.-C. Kuo, H.-Y. Tseng, J.-W. Liu, C.-Y. Juan, "On-chip process and temperature monitor for self-adjusting slew rate control of 2xVDD output buffers," <i>IEEE Trans. on Circuits & Systems - I : Regular Papers</i> , 12467, Sep. 2012.
2	C.-C. Wang, C.-L. Chen, H.-Y. Tseng, H.-H. Hou, C.-Y. Juan, "A 800 Mbps and 12.37 ps jitter bidirectional mixed-voltage I/O buffer with dual-path gate-tracking circuit,," <i>IEEE Trans. on Circuits & Systems - I : Regular Papers</i> , 11894, May 2012.
3	S.-H. Yang, and C.-C. Wang, "Feed-forward output swing prediction AGC design with parallel-detect singular-store peak detector," <i>Microelectronics Journal</i> , Vol. 43, No. 4, pp. 250-256, Apr. 2012.
4	S.-H. Yang, and C.-C. Wang, "A low power 48-dB/stage linear-in-dB variable gain amplifier for direct-conversion receivers," <i>Microelectronics Journal</i> , Vol. 43, No. 4, pp. 274-279, Apr. 2012.
5	I.-Y. Huang, M.-C. Lee, C.-H. Hsu, C.-C. Wang, "Development of a flexural plate-wave (FPW) Immunoglobulin-E (IgE) allergy bio-sensing microsystem," <i>Sensors & Actuators: B. Chemical</i> , Vol. 162, pp. 184-193, Mar. 2012.
6	C.-C. Wang, C.-H. Hsu, S.-C. Liao, and Y.-C. Liu, "A wide voltage range digital I/O design using gated floating N-well circuit," <i>IEEE Trans. on Very Large Scale Integration (VLSI) Systems</i> , Vol. 19, No. 8, pp. 1481-1485, Aug. 2011.
7	C.-C. Wang, R.-C. Kuo, and T.-H. Tsai, "A high precision low dropout regulator with nested feedback loops," <i>Microelectronics Journal</i> , Vol. 42, No. 7, pp. 966-971, Jul. 2011.
8	C.-H. Hsu, S.-B. Tseng, Y.-J. Hsieh, and C.-C. Wang, "One-time implantable spinal cord stimulation system prototype," <i>IEEE Trans. on Biomedical Circuits and Systems</i> , TBCAS-2010-Dec-0119-Reg.R1, May 2011.
9	C.-C. Wang, C.-L. Chen, G.-N. Sung, and C.-L. Wang, "A high-fficiency DC-DC buck converter for sub-2xVDD power supply," <i>Microelectronics Journal</i> , Vol. 42, No. 5, pp. 709-717, May 2011.

10	C.-C. Wang, C.-H. Hsu, G.-N. Sung, and Y.-C. Lu, "A signed array multiplier with bypassing logic," <i>J. of Signal Processing Systems</i> , DOI: 10.1007/s11265-010-0558-6 Online, VLSI1149, Oct. 2010.
11	C.-C. Wang, G.-N. Sung, M.-K. Chang, and Y.-Y. Shen, "Energy-efficient double-edge triggered flip-flop," <i>J. of Signal Processing Systems</i> , Vol. 61, No. 3, pp. 347-352, Sep. 2010.
12	G.-N. Sung, S.-C. Liao, G.-N. Sung, J.-M. Huang, Y.-C. Lu, and C.-C. Wang, "All digital frequency synthesizer using a flying adder," <i>IEEE Trans. on Circuits & Systems - II : Brief Papers</i> , Vol. 57, No. 8, pp. 597-601, Aug. 2010.
13	C.-C. Wang, R.-C. Kuo, J.-W. Liu, "0.9 V to 5 V bidirectional mixed-voltage I/O buffer with an ESD protection output stage," <i>IEEE Trans. on Circuits & Systems - II : Brief Papers</i> , Vol. 57, No. 8, pp. 612-616, Aug. 2010.
14	C.-C. Wang, C.-H. Hsu, and Y.-C. Liu, "A 1/2 X VDD to 3 X VDD bidirectional I/O buffer with a dynamic gate bias generator," <i>IEEE Trans. on Circuits & Systems - I : Regular Paper</i> , Vol. 57, No. 7, pp. 1642-1653, Jul. 2010.
15	S. Ozeri, D. Shmilovitz, S. Singer, and C.-C. Wang, "Ultrasonic transcutaneous energy transfer using a continuous wave 650 kHz Gaussian shaded transmitter," <i>Ultrasonics</i> , Vol. 50, No. 7, pp. 666-674, Jun. 2010.
16	C.-C. Wang, C.-C. Huang, and U. F. Chio, "A linear LDO regulator with modified NMCF frequency compensation independent of off-chip capacitor and ESR," <i>Analog Integrated Circuits and Signal Processing</i> , Vol. 63, No. 2, pp. 239-244, May 2010.
17	C.-C. Wang, C.-H. Hsu, C.-C. Lee, and J.-M. Huang, "A ROM-less DDFS based on a parabolic polynomial interpolation method with an offset," <i>J. of Signal Processing Systems</i> , DOI: 10.1007/s11265-010-0498-1 Online, VLSI777R1, May 2010.
18	C.-C. Wang, C.-L. Lin, R.-C. Kuo, and D. Shmilovitz, "Self-sampled all-MOS ASK demodulator for lower ISM band applications," <i>IEEE Trans. on Circuits & Systems - II : Brief Papers</i> , Vol. 57, No. 4, pp. 265-269, Apr. 2010.
19	C.-C. Wang, G.-N. Sung, J.-M. Huang, L.-H. Lee, and C.-P. Li, "A Low-power 2.45 GHz WPAN modulator/demodulator," <i>Microelectronics Journal</i> , Vol. 41, No. 2-3, pp. 150-154, Feb. 2010.

20	C.-C. Huang, T.-J. Lee, W.-C. Chang, and C.-C. Wang, "1/3 VDD to 3/2 VDD wide-range I/O buffer using 0.35-um 3.3-V CMOS technology," <i>IEEE Trans. on Circuits & Systems - II : Brief Papers</i> , Vol. 57, No. 2, pp. 126-130, Feb. 2010.
21	C.-C. Wang, G.-N. Sung, P.-C. Chen, and C.-L. Wey, "A transceiver frontend for electronic control units in FlexRay-based automotive communication systems," <i>IEEE Trans. on Circuits & Systems - I : Regular Paper</i> , Vol. 57, No. 2, pp. 460-470, Feb. 2010.
22	C.-C. Wang, C.-H. Hsu, C.-C. Huang, and J.-H. Wu, "A self-disabled sensing technique for content-addressable memories," <i>IEEE Trans. on Circuits & Systems - II : Brief Papers</i> , Vol. 57, No. 1, pp. 31-35, Jan. 2010.
23	C.-C. Wang, and G.-N. Sung, "Low-power multiplier design using a bypassing technique," <i>J. of Signal Processing Systems</i> , Vol. 57, No. 3, pp. 331-338, Dec. 2009.
24	C.-C. Huang, G.-L. Jhuang, and C.-C. Wang, "A high-SFDR direct digital frequency synthesizer with embedded error-compensation CMOS OTP ROM for wireless receivers," <i>Microwave and Optical Technology Letters</i> , Vol. 51, No. 7, pp. 1695-1699, Jul. 2009.
25	T.-J. Lee, T.-Y. Chang, and C.-C. Wang, "Wide-range 5.0/3.3/1.8 V I/O buffer using 0.35-um 3.3-V CMOS technology," <i>IEEE Trans. on Circuits & Systems - I : Regular Papers</i> , Vol. 56, No. 4, pp. 763-772, Apr. 2009.
26	C.-C. Wang, C.-H. Hsu, C.-C. Huang, T.-J. Lee, C.-C. Hung, Y.-H. Hsueh, and R. Hu, "High-PSR sync separator for TV signals," <i>Analog Integrated Circuits and Signal Processing</i> , Vol. 61, No. 3, pp. 279-286, Mar. 2009.
27	S.-H. Wang, C.-P. Li, C.-T. Yu, J.-M. Huang, and C.-C. Wang, "Baseband receiver design for the MBOA ultra wideband wireless personal area networks," <i>IEICE Trans. on Commun.</i> E92-B,01, pp. 143-149, Jan. 2009.
28	C.-C. Wang, G.-N. Sung, C.-C. Huang, C.-L. Lee, T.-H. Chen, W.-J. Lin, and R. Hu, "1.7-ns access time SRAM using variable bulk bias wordline-controlled transistors," <i>Journal of Circuits, Systems, and Computers (JCSC)</i> , Vol. 17, No. 5, pp. 943-956, Nov. 2008.
29	J.-M. Huang, C.-C. Wang, and Y.-J. Chiu, "A CMOS opto-electronic single chip using the hybrid scheme for optical receivers," <i>Microwave and Optical Technology Letters</i> , Vol. 50, No. 9, pp. 2430-2434, Sep. 2008.

30	C.-C. Wang, G.-N. Sung, and P.-L. Liu, "Power-aware design of an 8-bit pipelining ANT-based CLA using data transition detection," <i>Journal of VLSI Signal Processing Systems</i> , (accepted, paper no. #VLSI148R1, July 2007), Vol. 52, No. 2, pp. 127-135, Aug. 2008.
31	C.-C. Wang, C.-C. Huang, C.-L. Lee, L.-P. Lin, and Y.-L. Tseng, "70 dB dynamic range CMOS wideband digital variable gain amplifier for AGC in DVB-T/H receivers," <i>Journal of Circuits Systems and Signal Processing</i> , (accepted, paper no. CSSP 70214, Aug. 2007), Vol. 27, No. 3, pp. 367-379, Jun. 2008.
32	C.-C. Wang, C.-C. Huang, J.-M. Huang, C.-Y. Chang. And C.-P. Li, "ZigBee 868/915 MHz modulator/demodulator for wireless personal area network," <i>IEEE Trans. on Very Large Scale Integration (VLSI) Systems</i> , (accepted, paper no. TVLSI-00223-2007.R3, Sep. 2007), Vol. 16, No. 7, pp. 936-939, Jun. 2008.
33	C.-C. Wang, C.-C. Huang, C.-L. Lee, and T.-W. Cheng, "A low power high-speed 8-bit pipelining CLA design using dual threshold voltage domino logic," <i>IEEE Trans. on Very Large Scale Integration (VLSI) Systems</i> , (accepted, paper no. TVLSI-00081-2006.R2, June 2007), Vol. 16, No. 5, pp. 594-598, May 2008.
34	T.-J. Lee, C.-L. Lee, Y.-J. Chiu, C.-C. Huang, and C.-C. Wang, "All-MOS ASK demodulator for low-frequency applications," <i>IEEE Trans. on Circuits & Systems, Part II : EXPRESS BRIEFS (TCAS-II)</i> , Vol. 55, No. 5, pp. 474-478, May 2008.
35	C.-C. Wang, C.-C. Huang, and S.-L. Tseng, "A low-power ADPLL using feedback DCO quaterly disabled in time domain," <i>Microelectronics Journal</i> , Vol. 39, No. 5, pp. 832-840, May 2008.
36	C.-C. Wang, C.-C. Huang, J.-S. Liou, Y.-J. Ciou, I.-Y. Huang, C.-P. Li, Y.-C. Lee, and W.-J. Wu, "A mini-invasive long-term bladder urine pressure measurement ASIC and system," <i>IEEE Trans. on Biomedical Circuits and Systems</i> , Vol. 2, No. 1, pp. 44-49, Mar. 2008.
37	T.-J. Lee, and C.-C. Wang, "A PLL with 30% jitter reduction using separate regulators," <i>Inter. J. of VLSI Design</i> , Vol. 2008, pp. 1-8, Jan. 2008.
38	C.-C. Wang, T.-J. Lee, U. F. Choi, Y.-T. Hsiao, and J.-J. J. Chen, "A 570-kbps ASK demodulator without external capacitors for low-frequency wireless bio-implants," <i>Microelectronics Journal</i> , Vol. 39, No. 1, pp. 130-136, Jan. 2008.

39	C.-C. Wang, C.-C. Huang, C.-L. Lee, C.-C. Hung, and L.-P. Lin, "A single-chip CMOS IF-band converter design for DVB-T receivers," <i>Microelectronics Journal</i> , Vol. 39, No. 1, pp. 117-129, Jan. 2008.
40	Y.-T. Li, C.-H. Lin, C.-C. Wang, J.-J. J. Chen, "Development of an implantable wireless biomicrosystem with impedance spectroscopy measurement and nerve stimulation functions," <i>International Journal of Electrical Engineering</i> , Vol. 15, No. 3, pp. 169-178, Jan. 2008.
41	C.-C. Wang, G.-N. Sung, J.-M. Huang, and L.-P. Lin, "An 80 MHz PLL with 72.7-ps peak-to-peak jitter," <i>Microelectronics Journal</i> , Vol. 38, pp. 716-721, Jun. 2007.
42	C.-C. Wang, C.-L. Lee, W.-J. Lin, "A 4-Kb low power SRAM design with negative word-line scheme," <i>IEEE Trans. on Circuits and Systems - I: Fundamental Theory and Applications</i> , Vol. 54, No. 5, pp. 1069-1076, May 2007.
43	C.-C. Wang, T.-J. Lee, C.-C. Li, and R. Hu, "Voltage-to-frequency converter with high sensitivity using all-MOS voltage window comparator," <i>Microelectronics Journal</i> , Vol. 38, No. 2, pp. 197-202, Feb. 2007.
44	S.-H. Wang, C.-P. Li, and C.-C. Wang, "An interference cancellation scheme for carrier frequency offsets compensation in the uplink of OFDMA systems," <i>Inter. J. of Electrical Engineering</i> , (accepted, paper no. R2_NTC-07-095, July 2007), Jan. 2007.
45	C.-C. Wang, C.-L. Lee, C.-Y. Hsiao, and J.-F. Huang, "Clock-and-data recovery design for LVDS transceiver used in LCD panels," <i>IEEE Trans. on Circuits and Systems - II</i> , Vol. 53, No. 11, pp. 1318-1322, Nov. 2006.
46	C.-C. Wang, J.-M. Huang, Y.-L. Tseng, W.-J. Lin, and R. Hu, "Phase-adjustable pipelining ROM-less direct digital frequency synthesizer with a 41.66 MHz Output Frequency," <i>IEEE Trans. on Circuits and Systems - II</i> , Vol. 53, No. 10, pp. 1143-1147, Oct. 2006.
47	C.-C. Wang, T.-J. Lee, C.-C. Li, and R. Hu, "An all-MOS high linearity voltage-to-frequency converter chip with 520 KHz/V sensitivity," <i>IEEE Trans. on Circuits and Systems - II</i> , Vol. 35, No. 8, pp. 744-747, Aug. 2006.
48	C.-C. Wang, T.-J. Lee, H. K. Lo, S.-P. Lin, and R. Hu, "High-Sensitivity and High-Mobility Compact DVB-T Receiver for In-Car Entertainment," <i>IEEE Trans. on Consumer Electronics</i> , Vol. 52, No. 1, pp. 21-25, Feb. 2006.

49	C.-C. Wang, T.-J. Lee, Y.-T. Hsiao, U. F. Chio, C.-C. Huang, J.-J. J. Chen, and Y.-H. Hsueh, "A multi-parameter implantable micro-stimulator SOC," <i>IEEE Trans. on Very Large Scale Integration (VLSI) Systems</i> , Vol. 13, No. 12, pp. 1399-1402, Dec. 2005.
50	C.-C. Wang, C.-L. Lee, Y.-L. Tseng, C.-S. Chen, and R. Hu, "Low-power small-area digital I/O cell," <i>IEEE Trans. on Circuits and Systems - II</i> , Vol. 52, No. 8, pp. 508-511, Aug. 2005.
51	C.-C. Wang, J.-M. Huang, H.-C. Cheng, and R. Hu, "Switched-current 3-bit CMOS 4.0 MHz wideband random signal generator," <i>IEEE J. of Solid-State Circuits</i> , Vol. 40, No. 6, pp. 1360-1365, Jun. 2005.
52	C.-C. Wang, C.-L. Lee, and M.-K. Chang, "Low-cost video decoder with 2D2L comb filter for NTSC digital TVs," <i>IEEE Trans. on Consumer Electronics</i> , Vol. 51, No. 2, pp. 694-698, May 2005.
53	C.-C. Wang, Y.-L. Tseng, and C.-C. Chiu, "A temperature-insensitive self-recharging circuitry used in DRAMs," <i>IEEE Trans. on Very Large Scale Integration (VLSI) Systems</i> , Vol. 13, No. 3, pp. 405-408, Mar. 2005.
54	C.-K. Liang, J.-J. J. Chen, C.-L. Chung, C.-L. Cheng and C.-C. Wang, "An implantable bi-directional wireless transmission system for transcutaneous biological signal recording," <i>Physiological Measurement</i> , Vol. 26, No. 1, pp. 83-97, Feb. 2005.
55	C.-C. Wang, J.-M. Huang, and H.-C. Cheng, "A 2K/8K mode small-area FFT processor for OFDM demodulation of DVB-T receivers," <i>IEEE Trans. on Consumer Electronics</i> , Vol. 51, No. 1, pp. 28-32, Feb. 2005.
56	Y. T. Li, J.-J. Jason Chen, C. H. Chang, C.-C. Wang, and C. K. Liang, "Development of wireless biomicrosystem for measuring electrode-tissue impedance," <i>Journal of Medical and Biological Engineering</i> , Vol. 25, No. 3, pp. 99-105, Jan. 2005.
57	C.-C. Wang, Y.-L. Tseng, H.-C. She, and R. Hu, "A 1.2 GHz programmable DLL-based frequency multiplier for wireless applications," <i>IEEE Trans. on Very Large Scale Integration (VLSI) Systems</i> , Vol. 12, No. 12, pp. 1377-1381, Dec. 2004.
58	C.-C. Wang, T.-J. Lee, Y.-H. Hsueh, Y.-T. Hsiao, and U F. Chio, "Baseband design of a wireless transceiver for implantable neural interface," <i>International Journal of Chinese Institute of Electrical Engineering</i> , Vol. 11, No. 4, pp. 355-360, Nov. 2004.

59	C.-C. Wang, Y.-L. Tseng, H.-C. She, C.-C. Li, and R. Hu, "A 13-bit resolution ROM-less direct digital frequency synthesizer based on a trigonometric quadruple angle formula," <i>IEEE Trans. on Very Large Scale Integration (VLSI) Systems</i> , Vol. 12, No. 9, pp. 895-900, Sep. 2004.
60	C.-C. Wang, Y.-L. Tseng, H.-Y. Leo, and R. Hu, "A 4-Kb 500-MHz 4-T CMOS SRAM using low-V _{THN} bitline drivers and high-V _{THP} latches," <i>IEEE Trans. on Very Large Scale Integration (VLSI) Systems</i> , Vol. 12, No. 9, pp. 901-908, Sep. 2004.
61	C.-C. Wang, P.-M. Lee, and K.-L. Chen, "An SRAM Design Using Dual Threshold Voltage Transistors and Low-Power Quenchers," <i>IEEE J. of Solid-State Circuits</i> , Vol. 38, No. 10, pp. 1712-1720, Oct. 2003.
62	C.-C. Wang, Y.-L. Tseng, P.-M. Lee, R.-C. Lee, and C.-J. Huang, "A 1.25 GHz 32-bit tree-structured carry lookahead adder using modified ANT logic," <i>IEEE Trans. on Circuits and Systems - I: Fundamental Theory and Applications</i> , Vol. 50, No. 9, pp. 1208-1216, Sep. 2003.
63	C.-C. Wang, P.-M. Lee, C.-F. Wu, and H.-L. Wu, "High fan-in dynamic CMOS comparators with low transistor count," <i>IEEE Trans. on Circuits and Systems - I: Fundamental Theory and Applications</i> , Vol. 50, No. 9, pp. 1216-1220, Sep. 2003.
64	C.-C. Wang, Y.-H. Hsueh, and Y.-P. Chen, "An area-saving decoder structure for ROMs," <i>IEEE Trans. on Very Large Scale Integration (VLSI) Systems</i> , Vol. 11, No. 4, pp. 581-589, Aug. 2003.
65	C.-C. Wang, P.-M. Lee, J.-J. Wang, and C.-J. Huang, "Design of a cycle-efficient 64-b/32-b integer divisor using a table-sharing algorithm," <i>IEEE Trans. on Very Large Scale Integration (VLSI) Systems</i> , Vol. 11, No. 4, pp. 737-740, Aug. 2003.
66	C.-C. Wang, Y.-H. Hsueh, and C.-J. Huang, "A fast bipolar-valued inner product processor chip for associative memory networks," <i>IEEE Trans. on Circuits and Systems - I: Fundamental Theory and Applications</i> , Vol. 50, No. 7, pp. 958-961, Jul. 2003.
67	C.-C. Wang, Y.-H. Hsueh, C.-S. Chen, and J.-F. Huang, "A low-cost plasma display panel data dispatcher for image enhancement," <i>IEEE Trans. on Consumer Electronics</i> , Vol. 48, No. 4, pp. 997-1003, Nov. 2002.
68	C.-C. Wang, Y.-H. Hsueh, Y.-T. Chien, and Y.-P. Chen, "Design of an inter-plane circuit for clocked PLAs," <i>VLSI Design</i> , Vol. 14, No. 4, pp. 373-381, Jun. 2002.

69	C.-C. Wang, P.-M. Lee, and C.-J. Huang, "Improved Design of C2PL 3-2 compressors for Inner Product Processing," <i>VLSI Design</i> , Vol. 14, No. 4, pp. 383-388, Jun. 2002.
70	C.-C. Wang, Y.-H. Hsueh, H.-L. Wu, and C.-F. Wu, "A fast dynamic 64-bit comparator with small transistor count," <i>VLSI Design</i> , Vol. 14, No. 4, pp. 389-395, Jun. 2002.
71	C.-J. Huang, C.-C. Wang, and C.-F. Wu, "Image processing techniques for wafer defect cluster identification," <i>IEEE Design and Test of Computer</i> , Vol. 19, No. 2, pp. 44-48, Apr. 2002.
72	C.-C. Wang, Y.-H. Hsueh, and S.-K. Huang, "An embedded low transistor count 8-bit analog-to-digital converter using a binary searching method," <i>VLSI Design</i> , Vol. 14, No. 2, pp. 193-202, Mar. 2002.
73	C.-C. Wang, H.-L. Wu, and R.-C. Lee, "Man-machine interface modules for wireless ARM-based handsets (1/3)," <i>Engineering, Science, and Technology Bulletin</i> , Vol. 58, pp. 156-161, Oct. 2001.
74	C.-C. Wang, C.-F. Tsai, and Y.-T. Chien, "Pattern recognition by high-capacity polynomial bidirectional hetero-associative network," <i>Journal of Information Science and Engineering</i> , Vol. 17, No. 2, pp. 313-324, Mar. 2001.
75	C.-J. Huang, W. K. Lai, C.-C. Wang, Y.-J. Jin, and H. W. Chen, "A ratioed channel assignment scheme for initial and handoff calls in mobile cellular systems," <i>Computer Communications</i> , Vol. 24, No. 3-4, pp. 308-318, Feb. 2001.
76	C.-C. Wang, C.-J. Huang, and P.-M. Lee, "Design and analysis of digital ratioed compressors for inner product processing," <i>VLSI Design</i> , Vol. 11, No. 4, pp. 353-361, Dec. 2000.
77	C.-C. Wang, C.-J. Huang, and I.-Y. Chang, "Design and analysis of Radix-8/4/2 64b/32b integer divider using COMPASS Cell library," <i>VLSI Design</i> , Vol. 11, No. 4, pp. 331-338, Dec. 2000.
78	C.-C. Wang, C.-J. Huang, and S.-M. Hwang, "A deterministic capacity-finding method for multi-valued exponential BAM," <i>IEEE Trans. on Systems, Man, and Cybernetics</i> , Vol. 30, No. 6, pp. 817-819, Nov. 2000.

79	C.-C. Wang, C.-J. Huang, and Y.-P. Chen, "Design of an inner-product processor for hardware realization of multi-valued exponential bidirectional associative memory," <i>IEEE Trans. of Circuits and Systems, Part II : Analog and Digital Signal Processing</i> , Vol. 47, No. 11, pp. 1271-1278, Nov. 2000.
80	C.-C. Wang, P.-M. Lee, Y.-L. Tseng, and C.-F. Wu, "A low-cost quadrature decoder/counter interface integrated circuit for AC induction motor server control," <i>Inter. J. of Electronics</i> , Vol. 87, No. 9, pp. 1053-1063, Sep. 2000.
81	C.-C. Wang and C.-F. Tsai, "Analysis of practical expectation of the capacity of PBHC with fault tolerance," <i>IEEE Trans. on Circuits and Systems - I: Fundamental Theory and Applications</i> , Vol. 47, No. 8, pp. 1271-1275, Aug. 2000.
82	C.-C. Wang, Y.-T. Chien, and Y.-P. Chen, "A practical load-optimized VCO design for low-jitter 5V 500 MHz digital phase-locked loop," <i>VLSI Design</i> , Vol. 11, No. 2, pp. 107-113, Jun. 2000.
83	C.-C. Wang, P.-M. Lee, and C.-J. Huang, "Three alternative architecture of digital ratioed compressor design with application to inner product processing," <i>IEEE Proceedings - Computers and Digital Techniques</i> , Vol. 147, No. 2, pp. 65-74, Mar. 2000.
84	C.-C. Wang, C.-J. Huang, G.-C. Lin, and C.-F. Wu, "Cell-based implementation of Radix-4/2 64b dividend 32b divisor signed integer divider using the COMPASS cell library," <i>IEEE Proceedings - Computers and Digital Techniques</i> , Vol. 147, No. 2, pp. 109-115, Mar. 2000.
85	C.-C. Wang, C.-J. Huang, and K.-C. Tsai, "A 1.0 GHz 0.6- μ m 8-bit carry lookahead adder using PLA-styled all-N-transistor logic," <i>IEEE Trans. of Circuits and Systems, Part II : Analog and Digital Signal Processing</i> , Vol. 47, No. 2, pp. 133-135, Feb. 2000.
86	C.-C. Wang, C.-F. Wu, R.-T. Hwang, and C.-H. Kao, "Single-ended SRAM with high test coverage and short test time," <i>IEEE J. of Solid-State Circuits</i> , Vol. 35, No. 1, pp. 114-118, Jan. 2000.
87	C.-C. Wang, and C.-F. Tsai, "Fuzzy data processing using polynomial bidirectional hetero-associative network," <i>Information Sciences</i> , Vol. 125, No. 4, pp. 167-179, Jan. 2000.
88	C.-C. Wang and C.-F. Tsai, "Polynomial bidirectional hetero-correlator," <i>Electronics Letters</i> , Vol. 35, No. 23, pp. 2039-2041, Nov. 1999.

89	C.-F. Tsai, and C.-C. Wang, "The study of an architecture of WWW software of multimedia computer assembly," <i>Bulletin of National Pingtung University of Science and Technology</i> , Vol. 8, No. 3, pp. 237-250, Sep. 1999.
90	C.-C. Wang, C.-F. Wu, S.-H. Chen, and C.-H. Kao, "In-sawing-lane multi-level BIST for known good dies of LCD drivers," <i>Electronics Letters</i> , Vol. 35, No. 8, pp. 1543-1544, Sep. 1999.
91	C.-C. Wang, C.-F. Wu, R.-T. Hwang, and C.-H. Kao, "A low-power high-speed dynamic PLA circuit configuration for single-clock CMOS," <i>IEEE Trans. on Circuits and Systems, Part I : Fundamental Theory and Applications</i> , Vol. 46, No. 7, pp. 857-861, Jul. 1999.
92	C.-F. Wu, C.-C. Wang, R.-T. Hwang, and C.-H. Kao, "Dynamic NOR-NOR PLA Design with IDDQ Testability," <i>Inter. J. of Electronics</i> , Vol. 86, No. 1, pp. 79-85, Jan. 1999.
93	C.-C. Wang, C.-F. Wu, and K.-C. Tsai, "1 GHz 64-bit High-Speed Comparator Using ANT Dynamic Logic with Two-Phase Clocking," <i>IEEE Proceedings - Computers and Digital Techniques</i> , Vol. 145, No. 6, pp. 433-436, Nov. 1998.
94	C.-C. Wang, and H.-S. Don, "The majority theorem of centralized multiple BAMs networks," <i>Information Sciences</i> , Vol. 110, No. 3-4, pp. 179-193, Oct. 1998.
95	C.-C. Wang, C.-F. Tsai, and J.-P. Lee, "Analysis of radix searching of exponential bidirectional associative memory," <i>IEEE Proceedings - Computers and Digital Techniques</i> , Vol. 145, No. 4, pp. 279-285, Jul. 1998.
96	C.-C. Wang and C.-R. Tsai, "Data compression by the recursive algorithm of exponential bidirectional associative memory," <i>IEEE Trans. on System, Man, and Cybernetics, Part B: Cybernetics</i> , Vol. 28, No. 2, pp. 125-134, Apr. 1998.
97	C.-C. Wang and C.-L. Fan, "Digital Design of Discrete Exponential Bidirectional Associative Memory," <i>Journal of VLSI Signal Processing</i> , Vol. 15, No. 3, pp. 247-257, Mar. 1997.
98	C.-C. Wang, "Practical capacity analysis and radix searching algorithms of asymptotically stable exponential bidirectional associative memory," <i>Journal of Information Science and Engineering</i> , Vol. 12, No. 4, pp. 511-523, Dec. 1996.

99	C.-C. Wang and Y.-L. Fan, "Low-power greedy state pair grouping algorithm and power reduction estimation for finite state machine," <i>The Proceedings of the National Science Council, Part A: Physical Science and Engineering</i> , Vol. 20, No. 6, pp. 641-650, Nov. 1996.
100	C.-C. Wang, S.-M. Hwang, and J.-P. Lee, "Capacity analysis of the asymptotically stable multi-valued exponential bidirectional associative memory," <i>IEEE Trans. on System, Man, and Cybernetics, Part B: Cybernetics</i> , Vol. 26, No. 5, pp. 733-743, Oct. 1996.
101	C.-C. Wang and J.-P. Lee, "The decision making properties of discrete multiple exponential bidirectional associative memories," <i>IEEE Trans. on Neural Networks</i> , Vol. 6, No. 4, pp. 993-999, Jul. 1995.
102	C.-C. Wang and H.-S. Don, "An analysis of high-capacity discrete exponential BAM," <i>IEEE Trans. on Neural Networks</i> , Vol. 6, No. 2, pp. 492-496, Mar. 1995.
103	H.-S. Don and C.-C. Wang, "Belief combination by a potential model," <i>Journal of Engineering, National Chung Hsing University</i> , Vol. 6, No. 1, pp. 13-23, Jan. 1995.
104	C.-C. Wang and H.-S. Don, "A modified measure for fuzzy subsethood," <i>Information Sciences</i> , Vol. 79, No. 3-4, pp. 223-232, Jul. 1994.
105	C.-C. Wang and H.-S. Don, "A polar model for evidential reasoning," <i>Information Sciences</i> , Vol. 77, No. 3-4, pp. 195-226, Jan. 1994.
106	C.-C. Wang and H.-S. Don, "A robust continuous model for evidential reasoning," <i>Journal of Intelligent & Robotic Systems</i> , Vol. 9, pp. 1-25, Jan. 1994.
107	C.-C. Wang, H.-L. Wu, and C.-F. ", ", Jan. .

會議論文

編號	著作名稱
1	T.-J. Lee, D. Shmilovitz, Y.-J. Hsieh, C.-C. Wang, "Temperature and process compensated clock generator using feedback TPC Bias," 2012 Inter. Conf. on IC Design and Technology (2012 ICICDT), pp. G2. CD-ROM, May 2012.
2	S.-Y. Chen, and C.-C. Wang, "Single-ended disturb-free 5T loadless SRAM cell using 90 nm CMOS process," 2012 Inter. Conf. on IC Design and Technology (2012 ICICDT), pp. C6(CD-ROM), May 2012.
3	C.-L. Chen, H.-Y. Tseng, R.-C. Kuo, and C.-C. Wang, "On-chip MOS PVT variation monitor for slew rate self-adjusting 2×VDD output buffers," 2012 Inter. Conf. on IC Design and Technology (2012 ICICDT), pp. J1, CD-ROM, May 2012.
4	C.-L. Chen, Y. Hu, W. Luo, C.-C. Wang, and C.-Y. Juan, "A high voltage analog multiplexer with digital calibration for battery management systems," 2012 Inter. Conf. on IC Design and Technology (2012 ICICDT), pp. K2, CD-ROM, May 2012.
5	C.-C. Wang, C.-H. Hsu, Y.-D. Tsai, Y.-C. Chen, M.-C. Lee, and I.-Y. Huang, "A fast FPW-based protein concentration measurement system," 2012 IEEE Inter. Symp. on Circuits and Systems (ISCAS 2012), pp. 1289-2392, May 2012.
6	C.-L. Chen, S.-C. Lin, C.-C. Wang, C.-Y. Juan, "A digital over-temperature protector for FlexRay systems," 2012 IEEE Inter. Symp. on Circuits and Systems (ISCAS 2012), pp. 1991-1994, May 2012.
7	S.-H. Yang, and C.-C. Wang, "Feed-forward output swing prediction AGC with parallel-detect singular-store peak detector," 2012 IEEE Inter. Symp. on Circuits and Systems (ISCAS 2012), pp. 2965-2968, May 2012.
8	C.-L. Chen, H.-Y. Tseng, R.-C. Kuo, C.-C. Wang, "A slew rate self-adjusting 2×VDD output buffer with PVT compensation," 2012 Inter. Symp. on VLSI Design, Automation and Test (VLSI-DAT), pp. 58, Apr. 2012.
9	G.-N. Sung, C.-M. Huang, and C.-C. Wang, "A PLC transceiver design of in-vehicle power line in FlexRay-based automotive communication systems," 2012 IEEE Inter. Conf. on Consumer Electronics (ICCE 2012), pp. 313-314, Jan. 2012.
10	C.-H. Hsu, Y.-D. Tsai, Y.-C. Chen, M.-C. Lee, I.-Y. Huang, and C.-C. Wang, "A fast FPW allergy analyzer prototype for point of care (POC)," 2012 IEEE

	Inter. Conf. on Consumer Electronics (ICCE 2012), pp. 544-545, Jan. 2012.
11	C.-C. Wang, C.-L. Chen, J.-J. Li, and C.-Y. Juan, "Configurable active star Design for automobile FlexRay systems," 2012 IEEE Inter. Conf. on Consumer Electronics (ICCE 2012), pp. 305-306, Jan. 2012.
12	T.-J. Lee, W. Lou, S.-H. Yang, M.-H. Shih, K.-C. Kuo, and C.-C. Wang, "2.45 GHz ZigBee receiver frontend for HAN with smart meter," 2011 Inter. Symp. on Integrated Circuits 2011 (ISIC 2011), ICA00111-00194, Sep. 2011.
13	T.-J. Lee, W.-C. Hsiao, and C.-C. Wang, "20 MHz accurate peak detector for FPW allergy biosensor with digital calibration," 2011 Inter. Symp. on Integrated Circuits 2011 (ISIC 2011), ICA00111-00168, Sep. 2011.
14	C.-L. Chen, and C.-C. Wang, "A fast-locking clock and data recovery circuit with a lock detector loop," 2011 Inter. Symp. on Integrated Circuits 2011 (ISIC 2011), ICA00013-00166, Sep. 2011.
15	C.-H. Hsu, Y.-C. Chen, and C.-C. Wang, "ROM-less DDFS using non-equal division parabolic polynomial interpolation method," 2011 Inter. Symp. on Integrated Circuits 2011 (ISIC 2011), ICA00013-00019, Sep. 2011.
16	R.-C. Kuo, H.-Y. Tseng, J.-W. Liu, and C.-C. Wang, "On-chip process and temperature compensation and self-adjusting slew rate control for output buffer," 2011 IEEE Asia Pacific Conference on Postgraduate Research in Microelectronics & Electronics (2011 PrimeAsia), 1044, Aug. 2011.
17	C.-H. Hsu, Y.-R. Lin, Y.-D. Tsai, Y.-C. Chen, and C.-C. Wang, "A frequency-shift readout system for FPW allergy biosensor," 2011 Inter. Conf. on IC Design and Technology (2011 ICICDT), pp. 1-4, May 2011.
18	S.-H. Yang, and C.-C. Wang, "Domestic indirect feedback compensation of multiple-stage amplifiers for multiple-voltage level-converting amplification," 2011 Inter. Conf. on IC Design and Technology (2011 ICICDT), pp. 1-4, May 2011.
19	S.-H. Yang, J.-W. Liu, Y.-H. Wu, D.-S. Wang, and C.-C. Wang, "A high voltage battery charger with smooth charge mode transition in BCD process," 2011 IEEE Inter. Symp. on Circuits and Systems (ISCAS'2011), pp. 813-816, May 2011.
20	C.-C. Wang, C.-L. Chen, T.-H. Yeh, Y. Hu, and G.-N. Sung, "A high speed transceiver front-end design with fault detection for FlexRay-based

	automotive communication systems," 2011 IEEE Inter. Symp. on Circuits and Systems (ISCAS'2011), pp. 434-437, May 2011.
21	C.-H. Hsu, S.-B. Tseng, Y.-J. Hsieh, and C.-C. Wang, "One-time Implantable SCS System," The 5th International Conference on Bioinformatics and Biomedical Engineering (iCBBE 2011),31661, Jan. 2011.
22	C.-C. Wang, C.-L. Lin, J.-J. Li, and G.-N. Sung, "A low power wake up detector for ECU nodes in an automobile FlexRay system," 2011 Inter. Conf. on Consumer Electronics, pp. 525-526, Jan. 2011.
23	Y.-R Lin, C.-H. Hsu, R. Rieger, and C.-C. Wang, "Low power RC5 cipher for ZigBee portable biomedical systems," 2011 Inter. Conf. on Consumer Electronics, pp. 625-626, Jan. 2011.
24	R.-C. Kuo, H.-H. Hou, and C.-C. Wang, "A PCI166-compatible 3xVDD-tolerant mixed-voltage I/O buffer," 2010 IEEE Asia Pacific Cond. on Circuits and Systems, pp. 320-323, Dec. 2010.
25	R.-C. Kuo, T.-H. Tsai, Y.-J. Hsieh, and C.-C. Wang, "A high precision low dropout regulator with nested feedback loops," 2010 IEEE Asia Pacific Cond. on Circuits and Systems, pp. 664-667, Dec. 2010.
26	C.-Y. Li, C.-C. Wang, and R. Rieger, "On the capacitively coupled transmission channel for body area network application," 2010 IEEE Inter. Symp. on Next-Generation Electronics (2010 ISNE), pp. 5-8, Nov. 2010.
27	G.-N. Sung, C.-L. Wang, P.-C. Jui, and C.-C. Wang, "A high-efficiency DC-DC buck converter for sub-3xVDD power supply," 2010 IEEE Inter. Conf. on IC Design and Technology (ICICDT'2010), pp. 164-167, Jun. 2010.
28	C.-C. Wang, R.-C. Kuo, and J.-W. Liu, "450 MHz 1.0 V to 1.8 V bidirectional mixed-voltage I/O buffer using 90-nm process," 2010 IEEE Inter. Conf. on IC Design and Technology, pp. 55-58, Jun. 2010.
29	C.-C. Wang, S.-C. Liao, and Y.-C. Liu, "A 125-MHz wide-Range mixed-voltage I/O buffer using gated floating N-well circuit," 2010 IEEE Inter. Symp. on Circuits and Systems (ISCAS'2010), pp. 3421-3424, May 2010.

30	C.-C. Wang, C.-C. Huang, Y.-C. Liu, V. Pikov, and D. Shmilovitz, "A mini-invasive multi-function biomedical pressure measurement system ASIC," 2010 IEEE Inter. Symp. on Circuits and Systems (ISCAS'2010), pp. 2936-2939, May 2010.
31	C.-C. Wang, C.-H. Hsu, S.-B. Tseng, and D. Shmilovitz, "A one-time implantable wireless power bidirectional transmission spinal cord stimulation system," 2010 Inter. Symp. on VLSI Design, Automation and Test, pp. 288-291, Apr. 2010.
32	C.-C. Wang, C.-Y. Yang, and C.-C. Huang, "Personal gateway design for portable medical devices used in body area networks," 2010 IEEE Inter. Conf. on Consumer Electronics (ICCE'2010), 2-9, pp. 189-190, Jan. 2010.
33	G.-N. Sung, Y.-C. Lu, and C.-C. Wang, "A power-aware signed 2-dimensional bypassing multiplier for video/image processing," 2010 IEEE Inter. Conf. on Consumer Electronics (ICCE'2010), 11.2-4, pp. 511-512, Jan. 2010.
34	C.-C. Wang, J.-W. Liu, R.-C. Kuo, K. S.-M. Li, and S.-J. Wang, "A 1.8 V to 3.3 V level-converting flip-flop design for multiple power supply systems," 2009 12th Inter. Symp. on Integrated Circuits (ISIC-2009), pp. 61-64, Dec. 2009.
35	C.-H. Hsu, C.-C. Huang, K.-S. Lim, W.-C. Hsiao, and C.-C. Wang, "A high performance current-balancing instrumentation amplifier for ECG monitoring systems," 2009 Inter. SOC Conf. (ISOCC'2009), pp. 83-86, Nov. 2009.
36	C.-C. Wang, C.-H. Hsu, and Y.-C. Liu, "A $1/2 \times V_{DD}$ to $3 \times V_{DD}$ bidirectional I/O buffer using 0.18- μ m 1.8-V CMOS technology," 2009 The 20th VLSI Design/CAD Symposium, CR-ROM, 9-1, pp. 70, Aug. 2009.
37	C.-H. Hsu, G.-N. Sung, T.-Y. Yao, C.-Y. Juan, Y.-R. Lin, and C.-C. Wang, "Low-power 7.2 GHz complementary all-N-transistor logic using 90 nm CMOS technology," 2009 IEEE Inter. Symp. on Circuits & Systems (ISCAS'2009), pp. 389-392, May 2009.
38	S. Ozeri, D. Shmilovitz, and C.-C. Wang, "A drive circuit for piezoelectric devices with low harmonics content," 2009 IEEE Inter. Symp. on Circuits & Systems (ISCAS'2009), pp. 1093-1096, May 2009.
39	C.-C. Wang, J.-W. Liu, and R.-C. Kuo, "A 0.9 V to 5 V mixed-voltage I/O buffer using NMOS clamping technique," 2009 IEEE Inter. Conf. on IC Design and Technology (ICICDT'2009), pp. 29~32, May 2009.

40	C.-C. Wang, G.-N. Sung, C.-L. Wang, P.-C. Chen, M.-F. Luo, and H.-C. Hu, "Physical layer design for ECU nodes in FlexRay-based automotive communication systems," 2009 IEEE Inter. Conf. on Consumer Electronics (ICCE'2009), CD-ROM version, paper8.4-4, pp. 97, Jan. 2009.
41	C.-C. Wang, C.-H. Hsu, T.-Y. Yao, and J.-M. Huang, "A ROM-less DDFS using a nonlinear DAC with an error compensation current array," 2008 IEEE Asia Pacific Conference on Circuits and Systems (APCCAS'2008), pp. 1632-1635, Nov. 2008.
42	C.-C. Huang, C.-L. Chen, and C.-C. Wang, "R-less and C-less self-sampled ASK demodulator for lower ISM band applications," 2008 Inter. SoC Design Conference (ISOCC'2008), pp. 281-284, Nov. 2008.
43	C.-C. Huang, S.-F. Yen, and C.-C. Wang, "A Li-ion battery charging design for biomedical implants," 2008 IEEE Asia Pacific Conference on Circuits and Systems (APCCAS'2008), pp. 400-403, Nov. 2008.
44	G.-N. Sung, C.-Y. Juan, and C.-C. Wang, "A 32-Bit carry lookahead adder design using complementary all-N-transistor logic," 2008 IEEE International Conference on Electronics, Circuits, and Systems (ICECS'2008), pp. 706-709, Aug. 2008.
45	J.-M. Huang, Y.-C. Lu, and C.-C. Wang, "All digital frequency synthesizer using a flying adder," 2008 The 19th VLSI Design/CAD Symposium, CD-ROM version, P1-1, pp. 78, Aug. 2008.
46	C.-C. Huang, J.-H. Wu, and C.-C. Wang, "A self-disable sense technique with differential NAND cell for content-addressable memories," 2008 IEEE International Conference on Electronics, Circuits, and Systems (ICECS'2008), pp. 590-593, Aug. 2008.
47	T.-J. Lee, W.-C. Chang, and C.-C. Wang, "Mixed-voltage I/O buffer design using 0.35 um CMOS technology," 2008 IEEE International Conference on Electronics, Circuits, and Systems (ICECS'2008), pp. 850-853, Aug. 2008.
48	T.-J. Lee, R.-W. Liu, T.-H. Tsai, and C.-C. Wang, "0.9 V to 5.0 V mixed-voltage I/O buffer design using 0.18 um 1.8-V CMOS technology," 2008 The 19th VLSI Design/CAD Symposium, CD-ROM version, S14-6, pp. 58, Aug. 2008.
49	J.-M. Huang, C.-C. Lee, and C.-C. Wang, "A ROM-less direct digital frequency synthesizer based on 16-Segment parabolic polynomial interpolation," 2008 IEEE International Conference on Electronics, Circuits, and Systems (ICECS'2008), pp. 1018-1021, Aug. 2008.

50	G.-N. Sung, C.-L. Wang, and C.-C. Wang, "The bus guardian design of FlexRay automotive communication systems," 2008 The 19th VLSI Design/CAD Symposium, CD-ROM version, S17-3, pp. 67, Jun. 2008.
51	T.-H. Tsai, C.-L. Chen, C.-L. Lee, and C.-C. Wang, "Power-saving nano-scale DRAMs with an adaptive refreshing clock generator," 2008 IEEE Inter. Symp. on Circuits and Systems, pp. 612-615, May 2008.
52	G.-N. Sung, Y.-J. Ciou, and C.-C. Wang, "A power-aware 2-dimensional bypassing multiplier using cell-based design flow," 2008 IEEE Inter. Symp. on Circuits and Systems, pp. 3338-3341, May 2008.
53	C.-C. Wang, C.-C. Huang, J.-H. Wu, I.-Y. Huang, C.-P. Li, Y.-C. Lee, and W.-J. Wu, "A mini-invasive multi-function bladder urine pressure measurement system," 2008 IEEE Inter. Symp. on Circuits and Systems, pp. 3174-3177, May 2008.
54	T.-J. Lee, Y.-C. Liu, and C.-C. Wang, "1.8 V to 5.0 V mixed-voltage-tolerant I/O buffer with 54.59% output duty cycle," 2008 Inter. Symp. On VLSI Design, Automation and Test (2008 VLSI-DAT), pp. 93-96, Apr. 2008.
55	G.-N. Sung, C.-Y. Juan, and C.-C. Wang, "Bus guardian design of automobile networking ECU nodes compliant with FlexRay standards," 2008 IEEE Inter. Symp. on Consumer Electronics (ISCE'2008), CD-ROM version, Apr. 2008.
56	C.-C. Wang, G.-N. Sung, and P.-C. Chen, "A transceiver design for ECU nodes in FlexRay-based automotive communication systems," 2008 IEEE Inter. Conf. on Consumer Electronics (ICCE'2008), paper 7.2-3, CD-ROM, Jan. 2008.
57	C.-C. Wang and C.-C. Huang, "A system prototype for portable wireless medical devices," 2008 IEEE Inter. Conf. on Consumer Electronics (ICCE'2008), (accepted, paper no. 1274, Sep. 2007), CD-ROM, pp. 2-27, Jan. 2008.
58	T.-J. Lee, W.-C. Chang, and C.-C. Wang, "Mixed-voltage-tolerant I/O buffer using a clamping dynamic gate bias generator," IEEE TENCON 2007, CD-ROM, FrSC-O9.3, pp. 148, Oct. 2007.
59	T.-J. Lee, C.-L. Lee, Y.-J. Ciou, C.-C. Huang, and C.-C. Wang, "C-less and R-less low-frequency ASK demodulator for wireless implantable devices," Inter. Symp. on Integrated Circuits 2007 (ISIC-2007), pp. 644-647, Sep. 2007.

60	J.-M. Huang, C.-L. Lee, J.-T. Chen, and C.-C. Wang, "A low power DDFS design with error compensation using a nonlinear digital-to-analog converter," Inter. Symp. on Integrated Circuits 2007 (ISIC-2007), pp. 604-607, Sep. 2007.
61	T.-J. Lee, T.-Y. Chang, and C.-C. Wang, "Mixed-voltage-tolerant I/O buffer design," Inter. Symp. on Integrated Circuits 2007 (ISIC-2007), pp. 596-599, Sep. 2007.
62	C.-C. Huang, G.-L. Jhuang, and C.-C. Wang, "A direct digital frequency synthesizer with CMOS OTP ROM," Inter. Symp. on Integrated Circuits 2007 (ISIC-2007), pp. 116-119, Sep. 2007.
63	C.-C. Wang, C.-C. Huang, J.-S. Liou, Y.-J. Ciou, I.-Y. Huang, C.-P. Li, Y.-C. Lee, and W.-J. Wu, "An implantable long-term bladder urine pressure measurement system with a 1-atm canceling instrumentation amplifier," 2007 IEEE Inter. Symp. on Circuits and Systems (ISCAS 2007), pp. 2383-2386, May 2007.
64	C.-C. Wang, C.-C. Huang, J.-S. Liou, Y.-J. Ciou, I.-Y. Huang, C.-P. Li, Y.-C. Lee, and W.-J. Wu, "An Implantable Long-term Bladder Urine Pressure Measurement System with a 1-atm Canceling Instrumentation Amplifier," 2007 IEEE Inter. Symp. on Circuits and Systems (ISCAS 2007), pp. 2383-2386, May 2007.
65	C.-C. Wang, G.-N. Sung, K.-W. Fang, and S.-L. Tseng, "A Low-power Sensorless Inverter Controller of Brushless DC Motors," 2007 IEEE Inter. Symp. on Circuits and Systems (ISCAS 2007), pp. 2435-2438, May 2007.
66	C.-C. Wang, M.-K. Chang, and T.-W. Cheng, "DVB-T receiver with a fully digital I/Q separator," 2007 IEEE Inter. Conf. on Consumer Electronics (ICCE 2007), CR-ROM, pp. 25, Jan. 2007.
67	C.-C. Wang, J.-M. Huang, L.-H. Lee, S.-H. Wang, and C.-P. Li, "A low-power 2.45 GHz ZigBee transceiver for wearable personal medical devices in WPAN," 2007 IEEE Inter. Conf. on Consumer Electronics (ICCE 2007), CR-ROM, pp. 111, Jan. 2007.
68	C.-C. Wang, G.-N. Sung, J.-Y. Liao, J. Chang, and R. Hu, "Handheld DVB-T digital TV with an automatic antenna selection method for mobile reception," 2007 IEEE Inter. Conf. on Consumer Electronics (ICCE 2007), pp. 25, Jan. 2007.

69	C.-C. Wang, C.-C. Huang, J.-S. Liou, and K.-W. Fang, "A 140-dB CMRR Low-noise Instrumentation Amplifier for Neural Signal Sensing," 2006 IEEE Asia Pacific Conference on Circuits and Systems(APCCAS 2006), pp. 64, Dec. 2006.
70	C.-C. Wang, G.-N. Sung, M.-K. Chang, C.-L. Lee, C.-M. Wu, and J.-Y. Chen, "A Low-power 4-T SAM Design for OFDM Demodulators in DVB Receivers," 2006 IEEE Asia Pacific Conference on Circuits and Systems (APCCAS 2006), pp. 90, Dec. 2006.
71	C.-C. Wang, G.-N. Sung, M.-K. Chang, and Y.-Y. Shen, "Energy-Efficient Double-Edge Triggered Flip-Flop Design," 2006 IEEE Asia Pacific Conference on Circuits and Systems(APCCAS 2006), pp. 127, Dec. 2006.
72	C.-C. Wang, T.-J. Lee, C.-C. Li, and R. Hu, "An All-MOS High Linearity Voltage-to-Frequency Converter Chip with 520 KHz/V Sensitivity," 2006 IEEE Asia Pacific Conference on Circuits and Systems(APCCAS 2006), pp. 39, Dec. 2006.
73	C.-C. Wang, J.-J. J. Chen, C.-C. Huang, T.-J. Lee, etc., "Ultra-low Power Implantable Neural Signal Interface," 2006 Inter. Symp. on Biomedical Engineering (2006 ISOBME),10163, Dec. 2006.
74	C.-C. Wang, C.-C. Huang, T.-J. Lee, and U. F. Chio, "A Linear LDO Regulator with Modified NMCF Frequency Compensation Independent of Off-chip Capacitor and ESR," 2006 IEEE Asia Pacific Conference on Circuits and Systems(APCCAS 2006), pp. 75, Dec. 2006.
75	C.-C. Wang, C.-C. Huang, T.-J. Lee, C.-M. Wu, G.-N. Song, K.-W. Fang, S.-L. Tseng, and J.-J. Chen, "An Implantable SOC Chip for Micro-stimulating and Neural Signal Recording," 2006 IEEE Asia Pacific Conference on Circuits and Systems(APCCAS 2006), pp. 127, Dec. 2006.
76	C.-C. Wang, G.-N. Sung, and J.-H. Lin, "Codec design for variable-length to fixed-length data conversion for H.263," Proc. of 2006 IEEE Inter. Conf. on Intelligent Information Hiding and Multimedia Signal Processing (IIHMSP-2006), pp. 483-486, Dec. 2006.
77	C.-C. Wang, J.-M. Huang, and T.-Y. Zhang, "10-Bit 30-MSample/s low power pipeline ADC for DVB-H receiver systems," 2006 Workshop on Consumer Electronics and Signal Processing (WCEsp 2006), pp. 36, Nov. 2006.
78	C.-C. Wang, G.-N. Sung, and J.-Y. Liao, "Cost-effective residue amplifier design for sensorless BLDC motor control," 2006 Workshop on Consumer Electronics and Signal Processing (WCEsp 2006), pp. 42, Nov. 2006.

79	C.-C. Wang, C.-L. Lee, and W.-J. Lin, "A 4-Kb Low Power 4-T SRAM Design with Negative Word-Line Gate Drive," 2006 IEEE Inter. Symp. on Circuits and Systems (ISCAS 2006), pp. 4127-4130, May 2006.
80	C.-C. Wang, J.-M. Huang, C.-Y. Chang, K.-T. Cheng, and C.-P. Li, "A 6.57 mW ZigBee Transceiver for 868/915 MHz Band," 2006 IEEE Inter. Symp. on Circuits and Systems (ISCAS 2006), pp. 5195-5198, May 2006.
81	C.-C. Wang, J.-M. Huang, Y.-M. Tseng, and C.-Y. Chang, "A 0.18 μm CMOS prototype of COFDM demodulator for European DVB-T standard," 2006 International Symposium on VLSI Design, Automation & Test (VLSI-DAT), pp. 71-74, Apr. 2006.
82	C.-C. Wang and G.-N. Sung, "A Low-Power 2-Dimensional Bypassing Multiplier Using 0.35 μm CMOS Technology," IEEE Computer Society Annual Symposium on VLSI (ISVLSI 2006), pp. 405-408, Mar. 2006.
83	C.-C. Wang, J.-M. Huang, C.-Y. Chang, and C.-P. Li, "868/915 MHz ZigBee Receiver for Personal Medical Assistance," 2006 Inter. Conf. on Consumer Electronics (ICCE 2006), pp. 461-462, Jan. 2006.
84	C.-C. Wang, H. K. Lo, S.-P. Lin, and R. Hu, "High-Sensitivity and High-Mobility Compact DVB-T Receiver for In-Car Entertainment," 2006 Inter. Conf. on Consumer Electronics (ICCE 2006), pp. 423-424, Jan. 2006.
85	C.-C. Wang, Y.-L. Tseng, S.-F. Hong, and K.-T. Cheng, "10-bit 80 Msps ADC using closed-loop MDACs for DVB-T receivers," 2005 Inter. Symp. on Communications, S13-4, Nov. 2005.
86	C.-C. Wang, J.-M. Huang, and T.-K. Cheng, "A 9-bit 20-MSample/s pipeline ADC for NTSC video decoders," 2005 Inter. Symp. on Communications, P1-30, Nov. 2005.
87	C.-C. Wang, T.-J. Lee, and S.-L. Tseng, "A low-power all-digital phase-locked loop using binary frequency searching," 2005 Inter. Symp. on Communications, S13-1, Nov. 2005.
88	C.-C. Wang, J.-M. Huang, and K.-T. Cheng, "Low-Power 5-bit 2.4 MS/s successive approximation ADC for ZigBee Receiver using 868/915 MHz Band," 2005 Workshop on Consumer Electronics and Signal Processing, (WCEsp 2005), pp. 108, Nov. 2005.

89	C.-C. Wang and G.-N. Sung, "A Power-Aware 8×8 Multiplier Using 2-Dimensional Bypassing Method," 2005 Workshop on Consumer Electronics and Signal Processing, (WCEsp 2005), Nov. 2005.
90	C.-C. Wang, C.-L. Lee, and Y.-S. Chang, "Low power CMOS output cell design with spike filtering for baseband digital signal processing," 2005 Inter. Symp. on Communications,S6-1, Nov. 2005.
91	C.-C. Wang, Y.-L. Tseng, and Y.-S. Chang, "A 19-T full adder with high impedance circuits and conflict circuits for mobile devices' controllers," 2005 Inter. Symp. on Communications,S2-6, Nov. 2005.
92	C.-C. Wang, J.-M. Huang, and Y.-M. Tseng, "Low-power bus driver design based on a charge recycle technique," 2005 The 16th VLSI Design/CAD Symposium,P1-8, Aug. 2005.
93	C.-C. Wang, T.-J. Lee, and K.-W. Fang, "Dual-OPA coil driver for heat dissipation of SOC's," 2005 The 16th VLSI Design/CAD Symposium,P1-1, Aug. 2005.
94	C.-C. Wang, C.-L. Lee, and T.-W. Cheng, "A low power high-speed 8-bit pipelining CLA Design using dual threshold voltage domino logic," 2005 The 16th VLSI Design/CAD Symposium,P1-34, Aug. 2005.
95	C.-C. Wang, C.-L. Lee, and C.-C. Hung, "A CMOS IF-band mixed-signal converter design for DVB-T receivers," 2005 The 16th VLSI Design/CAD Symposium,P2-31, Aug. 2005.
96	C.-C. Wang, C.-L. Lee, L.-P. Lin, and Y.-L. Tseng, "Wideband 70dB CMOS digital variable gain amplifier design for DVB-T receiver's AGC," 2005 IEEE Symp. on Circuits and Systems (ISCAS 2005), pp. 356-359, May 2005.
97	C.-C. Wang and C.-C. Huang, "A 38-dB stopband attenuation and 120-dB CMRR small-area LNA for neural signal sensing and recording," Inter. Conf. on Systems and Signals (ICSS 2005), pp. 1515-1519, Apr. 2005.
98	C.-C. Wang and T.-J. Lee, "An 80 MHz PLL chip with supply noise rejection using separate regulators," Inter. Conf. on Systems and Signals (ICSS 2005), pp. 973-976, Apr. 2005.

99	C.-C. Wang, J.-M. Huang, and L.-P. Lin, "A low-jitter 80 MHz PLL for DVB-T receivers," Inter. Conf. on Systems and Signals (ICSS 2005), pp. 990-993, Apr. 2005.
100	C.-C. Wang, C.-L. Lee, and C.-C. Hung, "A Gm-C anti-aliasing filter design with digitally tunable bandwidth for DVB-T receivers," Inter. Conf. on Systems and Signals (ICSS 2005), pp. 985-989, Apr. 2005.
101	C.-C. Wang, J.-M. Huang, and H.-C. Cheng, "2K/8K mode small-area FFT processor for OFDM demodulation of DVB-T receivers," 2005 Inter. Conf. on Consumer Electronics (ICCE 2005),4.1-2, Jan. 2005.
102	C.-C. Wang, C.-L. Lee, and M.-K. Chang, "Low-cost video decoder with 2D2L comb filter for NTSC digital TVs," 2005 Inter. Conf. on Consumer Electronics (ICCE 2005),6.4-10, Jan. 2005.
103	C.-C. Wang, T.-J. Lee, C.-C. Hung, and R. Hu, "High-PSR NTSC Video Sync Separator," 2004 IEEE Asia-Pacific Conference on Circuits and Systems (APCCAS 2004),6C.2, pp. 75, Dec. 2004.
104	C.-C. Wang, C.-L. Lee, and P.-L. Liu, "Power-Aware Design of An 8-Bit Pipelining Asynchronous ANT-based CLA Using Data Transition Detection," 2004 IEEE Asia-Pacific Conference on Circuits and Systems (APCCAS 2004),1B.3, pp. 23, Dec. 2004.
105	C.-C. Wang, C.-L. Lee, C.-Y. Hsiao, and J.-F. Huang, "Clock recovery and data recovery design for LVDS transceiver used in LCD panels," 2004 IEEE Asia-Pacific Conference on Circuits and Systems (APCCAS 2004),P3.11, pp. 82, Dec. 2004.
106	C.-C. Wang and J.-M. Huang, "1.0 Gbps LVDS transceiver design using a common mode DC biasing," 2004 The 15th VLSI Design/CAD Symposium,B3-1, pp. 14, Aug. 2004.
107	C.-C. Wang, J.-M. Huang, and H.-C. Cheng, "A 2K/8K Dual-Mode FFT Processor for OFDM of DVB-T Receivers," 2004 The 15th VLSI Design/CAD Symposium,P1-16, pp. 22, Aug. 2004.
108	C.-C. Wang, Y.-H. Hsueh, Y.-T. Hsiao, U Fat Chio, C.-C. Huang, and P.-L. Liu, "An Implantable Neural Interface Micro-stimulator Chip with External Controllability," 2004 The Fourth IEEE Asia-Pacific Conference on Advanced System Integrated Circuits (AP-ASIC 2004), pp. 356-359, Aug. 2004.

109	C.-C. Wang, J.-M. Huang, and J.-F. Huang, "1.0 Gbps LVDS transceiver design for LCD panels," 2004 The Fourth IEEE Asia-Pacific Conference on Advanced System Integrated Circuits (AP-ASIC 2004), pp. 236-239, Aug. 2004.
110	C.-C. Wang, C.-L. Lee, C.-Y. Hsiao, and J.-F. Huang, "Clock recovery and data recovery design for LVDS transceiver used in LCD panels," 2004 2nd Northeast Workshop on Circuits and Systems (NEWCAS 2004), pp. 185-188, Jun. 2004.
111	C.-C. Wang, C.-L. Lee, and P.-L. Liu, "Power-aware pipelining design of an 8-bit CLA using PLA-styled all-N-transistor logic," 2004 2nd Northeast Workshop on Circuits and Systems (NEWCAS 2004), pp. 149-152, Jun. 2004.
112	C.-C. Wang, Y.-L. Tseng, T.-J. Lee, and R. Hu, "High-PSR bias circuitry for NTSC sync separation," 2004 Inter. Symp. on Circuits and Systems (ISCAS '04), Vol. 1, pp. 329-332, May 2004.
113	C.-C. Wang, Y.-H. Hseuh, S.-F. Hong, and R.-S. Kao, "A phase-adjustable negative phase shifter using a single-shot locking method," 2004 Inter. Symp. on Circuits and Systems (ISCAS '04), Vol. 2, pp. 933-936, May 2004.
114	C.-C. Wang, Y.-H. Hseuh, U. F. Chio, and Y.-T. Hsiao, "A C-less ASK demodulator for implantable neural interfacing chips," 2004 Inter. Symp. on Circuits and Systems (ISCAS '04), Vol. 4, pp. 57-60, May 2004.
115	C.-C. Wang, Y.-H. Hsueh, Y.-T. Hsiao, and U. F. Chio, "Baseband Design of a Wireless Transceiver for Implantable Neural Interface," 2003 Inter. Symp. on Communications, pp. 69, Dec. 2003.
116	C.-C. Wang, Y.-L. Tseng, T.-H. Chen, and R. Hu, "Dual-Polarity High Voltage Generator Design for Non-Volatile Memories," 2003 10th IEEE International Conference on Electronics, Circuits and Systems (ICECS 2003), pp. 248-251, Dec. 2003.
117	C.-C. Wang, Y.-L. Tseng, and C.-C. Chen, "Codec Design for Variable-Length to Fixed-Length Data Compression by Using Mutli-Symbol Encoding," 2003 Inter. Conf. on Informatics, Cybernetics and Systems (ICICS 2003), pp. 351, Dec. 2003.
118	C.-C. Wang, Y.-H. Hsueh, T.-W. Kuo, and R. Hu, "A Boosted Wordline Voltage Generator for Low-Voltage Memories," 2003 10th IEEE International Conference on Electronics, Circuits and Systems (ICECS 2003), pp. 806-809, Dec. 2003.

119	C.-C. Wang, Y.-L. Tseng, C.-C. Chen, and C.-S. Chen, "Low-cost NTSC Digital Video Decoder Using 4θ -based DDFS," 2003 Workshop on Consumer Electronics (WCE2003), pp. 41, Nov. 2003.
120	C.-C. Wang, Y.-L. Tseng, T.-J. Lee, and R. Hu, "Low-Variation 1.0 MHz Clock Generator with Temperature Compensation Bias," 2003 Workshop on Consumer Electronics (WCE2003), pp. 133, Nov. 2003.
121	C.-C. Wang, Y.-L. Tseng, C.-C. Li, and R. Hu, "58 MHz/V sensitivity CMOS voltage-to-frequency converter using a current-mode voltage window comparator," 2003 The 14th VLSI Design/CAD Symposium, C2-7, pp. 32, Aug. 2003.
122	C.-C. Wang, Y.-L. Tseng, W.-J. Lin, and R. Hu, "A phase-adjustable ROM-less direct digital frequency synthesizer with 41.66 MHz output frequency," 2003 The 14th VLSI Design/CAD Symposium, C3-8, pp. 50, Aug. 2003.
123	C.-C. Wang, Y.-L. Tseng, C.-C. Li, and R. Hu, "A 1.26ns access time current-mode sense amplifier design for SRAMs," 2003 The 14th VLSI Design/CAD Symposium, C3-6, pp. 36, Aug. 2003.
124	C.-C. Wang, Y.-L. Tseng, C.-S. Chen, and R. Hu, "38.9 μ W/MHz small-area digital I/O cell," 2003 The 14th VLSI Design/CAD Symposium, C4-7, pp. 66, Aug. 2003.
125	C.-C. Wang, T.-H. Chen, and R. Hu, "A 4-Kb 667-MHz CMOS SRAM using dynamic threshold voltage wordline transistors," 2003 Southwest Symp. on Mixed-Signal Design (SSMSD 2003), pp. 90-93, Feb. 2003.
126	C.-C. Wang, Y.-L. Tseng, H.-C. Cheng, and R. Hu, "Switched-Current 3-bit CMOS Wideband Random Signal Generator," 2003 Southwest Symp. on Mixed-Signal Design (SSMSD 2003), pp. 186-189, Feb. 2003.
127	C.-C. Wang, H.-C. She, and R. Hu, "A ROM-less direct digital frequency synthesizer by using trigonometric quadruple angle formula," 9th IEEE International Conference on Electronics, Circuits and Systems (ICECS 2002), pp. 65-68, Sep. 2002.
128	C.-C. Wang, P.-M. Lee, and K.-L. Chen, "6-T SRAM using dual threshold voltage transistors and low-power quenchers," 9th IEEE International Conference on Electronics, Circuits and Systems (ICECS 2002), pp. 827-830, Sep. 2002.

129	C.-C. Wang, H.-C. She, and R. Hu, "A 1.2 GHz programmable DLL-based frequency multiplier for wireless applications," 9th IEEE International Conference on Electronics, Circuits and Systems (ICECS 2002), pp. 69-72, Sep. 2002.
130	C.-C. Wang, H.-Y. Leo, and R. Hu, "A 4-Kb 500-MHz 4-T CMOS SRAM using low-VTHN bitline drivers and high-VTHP latches," The third 2002 IEEE Asia-Pacific Conference on ASICs (AP-ASIC 2002), pp. 49-52, Aug. 2002.
131	C.-C. Wang and H.-C. Cheng, "A power-efficient clamping circuit for charge pumps used in low voltage memories," 2002 The 13th VLSI Design/CAD Symposium, pp. 80, Aug. 2002.
132	C.-C. Wang, Y.-H. Hseuh, C.-S. Chen, and J.-F. Huang, "A low-cost plasma display panel data dispatcher for image enhancement," 2002 IEEE Inter. Conf. on Consumer Electronics (ICCE 2002), pp. 4-5, Jun. 2002.
133	C.-C. Wang, Y.-H. Hsueh, and Y.-W. Chen, "A 6.4 Gbps FIFO Design for 8-32 two-way Data Exchange Bus," 2002 Inter. Symp. on Circuits and Systems (ISCAS 2002), Vol. 2, pp. 772-775, May 2002.
134	C.-C. Wang, Y.-L. Tseng, Y.-P. Chen, and C.-J. Huang, "A fast inner product processor implementation for multi-valued exponential bidirectional associative memories," 2002 Inter. Symp. on Circuits and Systems (ISCAS 2002), Vol. 2, pp. 113-116, May 2002.
135	C.-C. Wang and Y.-W. Chen, "An FIFO memory design for 8-to-32 data exchange bus," 2001 National Computer Symposium (NCS 2001) - Computer Architecture & Parallel Systems, pp. C085-094, Dec. 2001.
136	C.-C. Wang, Y.-L. Tseng, and C.-W. Chen, "Robust reference clock generator design for DDR synchronous devices," 2001 National Computer Symposium (NCS 2001) - Computer Architecture & Parallel Systems, pp. C069-076, Dec. 2001.
137	C.-C. Wang, P.-M. Lee, and Y.-A. Huang, "4x8 keypad scanner with RC5 protocol for wireless handsets," 2001 The Third International Conference on Information, Communications and Signal Processing (ICICS 2001), 1C2.5, pp. 27, Oct. 2001.
138	C.-C. Wang, R.-S. Kao, P.-M. Lee, and Y.-L. Huang, "A realized SONY PS2 1-to-4 joystick multiplexer interface," The 5th World Multiconference on Circuits, Systems, Communications & Computers (CSCC2001), Part 1: Signal Processing, pp. 151-155, Sep. 2001.

139	C.-C. Wang, C.-C. Chiu, and Y.-T. Chien, "Fast half-swing inter-plane circuits for clocked NOR-NOR PLAs," 2001 International IEEE Conference on Electronics, Circuits, and Systems (ICECS2001), Vol. 1, pp. 233-236, Sep. 2001.
140	C.-C. Wang, Y.-H. Hsueh, C.-W. Chen, J.-J. Wang, and R. Hu, "A cost-effective 8051-based Chinese voice dialer for DECT handsets," 2001 9th Inter. Symp. on Integrated Circuits, Devices & Systems (ISIC-2001), pp. 378-381, Sep. 2001.
141	C.-C. Wang, C.-W. Chen, and Y.-L. Huang, "VLSI circuit design of 16-Mbps IrDA VFIR transceivers," 2001 9th Inter. Symp. on Integrated Circuits, Devices & Systems (ISIC-2001), pp. 374-377, Sep. 2001.
142	C.-C. Wang, Y.-L. Tseng, and R.-S. Kao, "A 1.0 GHz clock generator design with a negative delay using a single-shot locking method," 2001 International IEEE Conference on Electronics, Circuits, and Systems (ICECS2001), Vol. 3, pp. 1123-1126, Sep. 2001.
143	C.-C. Wang, Y.-H. Hsueh, and Y.-P. Chen, "An area-saving 3-dimensional decoder structure for ROMs," 2001 International IEEE Conference on Electronics, Circuits, and Systems (ICECS2001), Vol. 2, pp. 573-576, Sep. 2001.
144	C.-C. Wang, P.-M. Lee, J.-J. Wang, and C.-J. Huang, "Design of a cycle-efficient 64b/32b integer divider using a table-sharing method," 2001 International IEEE Conference on Electronics, Circuits, and Systems (ICECS2001), Vol. 2, pp. 921-924, Sep. 2001.
145	C.-C. Wang and C.-C. Chiu, "A 4Kb DRAM using temperature-insensitive self-recharging circuitry," 2001 The 12th VLSI Design/CAD Symposium, C3-6, pp. 63, Aug. 2001.
146	C.-C. Wang and J.-J. Wang, "Address transition detector with high noise immunity," 2001 The 12th VLSI Design/CAD Symposium, C3-3, pp. 62, Aug. 2001.
147	C.-C. Wang, P.-M. Lee, R.-C. Lee, and C.-T. Huang, "A 1.25 GHz 32-bit tree-structured carry lookahead adder," 2001 IEEE Inter. Symp. on Circuits and Systems (ISCAS 2001), Vol. 4, pp. 80-83, May 2001.
148	C.-C. Wang, R.-S. Kao, and Y.-L. Huang, "100 Mbps ethernet network interface control IC," 2000 National Symposium on Telecommunications, Vol. 1, pp. 1-390-395, Dec. 2000.

149	C.-C. Wang, P.-M. Lee, C.-J. Huang, and R.-C. Lee, "A 1.25 GHz 8-bit tree-structured carry lookahead adder," Workshop on Computer Architecture of 2000 International Computer Symposium (ICS 2000), pp. 107-113, Dec. 2000.
150	C.-C. Wang, Y.-H. Hsueh, and S.-K. Huang, "A low-power and area-saving 8-bit analog-to-digital converter using a binary searching method," 2000 Symp. on Computer and Communication (SCC 2000), pp. 4B-1-4, Oct. 2000.
151	C.-C. Wang, Y.-H. Hsueh, Y.-L. Tseng, and S.-K. Huang, "FPGA-based system prototyping for smart battery management of mobile handsets," 11th VLSI Design/CAD Symposium, pp. 113-116, Aug. 2000.
152	C.-C. Wang and C.-F. Tsai, "A novel neural architecture with high storage capacity," IEEE-INNS-ENNS Inter. Joint Conf. on Neural Networks 2000 (IJCNN 2000), Vol. 5, pp. 617-621, Jul. 2000.
153	C.-C. Wang, H.-L. Wu, and S.-K. Huang, "A fast tagged sorter used in 100/10 Mbps routers," 2000 IEEE Inter. Conf. on Consumer Electronics (ICCE 2000), pp. 376-377, Jun. 2000.
154	C.-C. Wang, P.-M. Lee, and C.-J. Huang, "Improved Design of C2PL 3-2 compressors with less transistor count," 2000 IEEE Inter. Symp. on Circuits and Systems (ISCAS 2000), Vol. 4, pp. 61-64, May 2000.
155	C.-C. Wang, Y.-T. Chien, and Y.-P. Chen, "Design of an inter-plane circuit for clocked PLAs," 2000 IEEE Inter. Symp. on Circuits and Systems (ISCAS 2000), Vol. 4, pp. 281-284, May 2000.
156	C.-C. Wang, H.-L. Wu, and C.-F. Wu, "A fast dynamic 64-bit comparator with small transistor count," 2000 IEEE Inter. Symp. on Circuits and Systems (ISCAS 2000), Vol. 5, pp. 545-548, May 2000.
157	C.-C. Wang and C.-F. Tsai, "A neural network processing model for address learning and recognition," 2nd International Conference on Information, Communications & Signal Processing (ICICS '99), 396, Dec. 1999.
158	C.-C. Wang, Y.-H. Hsueh, Y.-L. Tseng, S.-K. Huang, and S.-F. Hsiao, "Universal current integration module IC design for smart battery management of mobile handsets," 1999 National Computer Symposium (NCS '99), Vol. 1, pp. A525-531, Dec. 1999.

159	C.-C. Wang and C.-F. Tsai, "The industrial application of optical character recognition using PBHAN," Inter. Symp. on Multimedia Information Processing (ISMIP '99), pp. 289-296, Dec. 1999.
160	C.-C. Wang, H.-L. Wu, and S.-K. Huang, "A distributed neural-net training strategy for recognition of Chinese numbers used in the voice dialer of mobile handsets," 1999 National Computer Symposium (NCS '99), Vol. 2, pp. B197-200, Dec. 1999.
161	C.-C. Wang, C.-J. Huang, and Y.-H. Hsueh, "A design of a bipolar-valued inner product processor for speech processing," 1999 International Symposium on Communications (ISCOM '99), pp. 135-139, Nov. 1999.
162	C.-C. Wang, C.-J. Huang, H.-L. Wu, and H.-M. Yang, "Hardware realization of a bit-serial 16-bit multiplier using low-power high-speed FPGA logic module for DSP applications," 1999 International Symposium on Communications (ISCOM '99), pp. 544-546, Nov. 1999.
163	C.-C. Wang, S.-H. Chen, S.-F. Hsaio, and C.-L. Wu, "Design and Verification of Four Non-Homogeneous ALUs for 8-Issue 64-Bit x86-Compatible Superscaler Microprocessors," 1999 The 6th IEEE Inter. Conf. on Electronics, Circuits and Systems (ICECS '99), Vol. 3, pp. 1217-1220, Sep. 1999.
164	C.-C. Wang, C.-F. Wu, S.-H. Chen, and C.-H. Kao, "A real chip used in low-cost testing modules for liquid crystal display drivers," 8th International Symposium on Integrated Circuits, Devices, & Systems (ISIC-99), Singapore, pp. 479-482, Sep. 1999.
165	C.-C. Wang, C.-J. Huang, and P.-M. Lee, "A comparison of two alternative architectures of digital ratioed compressor design for inner product processing," 1999 Inter. Symp. on Circuits & Systems (ISCAS '99), Vol. 1, pp. 161-164, Jun. 1999.
166	C.-C. Wang, Y.-T. Chien, and Y.-P. Chen, "A practical load-optimized VCO design for low-jitter 5V 500 MHz digital phase-locked loop," 1999 Inter. Symp. on Circuits & Systems (ISCAS '99), Vol. 2, pp. 528-531, Jun. 1999.
167	C.-C. Wang, C.-J. Huang, G.-C. Lin, and C.-F. Wu, "A chip design of radix-4/2 64b/32b signed and unsigned integer divider using COMPASS cell library," 1999 Inter. Symp. on Circuits & Systems (ISCAS '99), Vol. 1, pp. 439-442, Jun. 1999.
168	C.-C. Wang and C.-F. Tsai, "Theoretical expectation value of the capacity of fuzzy polynomial bidirectional hetero-correlator," 1999 Inter. Symp. on Circuits & Systems (ISCAS '99), Vol. 5, pp. 583-586, Jun. 1999.

169	C.-C. Wang, Y.-T. Chien, and Y.-P. Chen, "Power-saving fast half-swing inter-plane circuit for clocked PLAs," 1999 Symposium of Microprocessors Design, pp. 141-148, May 1999.
170	C.-C. Wang, I.-Y. Chang, and C.-F. Wu, "Cell-based implementation of a mixed-radix-8/4/2 64b/32b signed integer divider using COMPASS cell library," 1999 Symposium of Microprocessors Design, pp. 124-131, May 1999.
171	C.-F. Tsai and C.-C. Wang, "Computer assisted learning system - the architecture of WWW software for multimedia computer assembly," The 8th International Conference on Computer-Aided Instruction, pp. 10-17, Mar. 1999.
172	C.-F. Tsai and C.-C. Wang, "Construction of a secure of web database using active server pages technology," Cross-Century Worldwide Academic Conference, pp. 267-274, Mar. 1999.
173	C.-C. Wang, C.-J. Huang, and S.-H. Chen, "An image processing approach for wafer scratch identification," 1998 Inter. Computer Symp. (ICS '98) Workshop on Image Processing and Character Recognition, Tainan, Taiwan, pp. 201-205, Dec. 1998.
174	C.-C. Wang, C.-J. Huang, and P.-M. Lee, "A study for carru propagation delay of digital ratioed compressors," 1998 Inter. Computer Symp. (ICS '98) Workshop on Computer Architecture, Tainan, Taiwan, pp. 30-36, Dec. 1998.
175	C.-C. Wang and C.-F. Tsai, "Fuzzy data recall using polynomial bidirectional hetero-correlator," 1998 Inter. Conf. on Systems, Men, and Cybernetics, pp. 1940-1945, Oct. 1998.
176	C.-C. Wang and Y.-L. Tseng, "A quadrature decoder/counter interface IC for AC inductor motor server control," The 9th VLSI Design/CAD Symposium, pp. 281-284, Aug. 1998.
177	C.-C. Wang and K.-C. Tsai, "VLSI design of A 1.0 GHz 0.6- μ m 8-Bit CLA using PLA-styled all-N-transistor Logic," 1998 IEEE Inter. Symp. on Circuits & Systems (ISCAS '98), Vol. 2, pp. 236-239, Jun. 1998.
178	C.-F. Wu, C.-C. Wang, R.-T. Hwang, and C.-H. Kao, "Design of single-ended SRAM with high test coverage and short test time," 1998 IEEE Inter. Symp. on Circuits & Systems (ISCAS '98), Vol. 2, pp. 292-295, Jun. 1998.

179	C.-F. Wu, C.-C. Wang, Y.-L. Tseng, and C.-H. Kao, "Design of fast dynamic CMOS comparators with fewer transistor count," 1998 Inter. Conf. on Computer Systems Technology for Industrial Applications - Chip Technology, pp. 167-173, Apr. 1998.
180	C.-C. Wang, C.-F. Wu, R.-T. Hwang, and C.-H. Kao, "A low-power and high-speed dynamic PLA circuit configuration for single-clock CMOS," 1997 National Computer Symposium (NCS '97), Vol. 2, pp. C57-62, Dec. 1997.
181	C.-C. Wang and G.-C. Lin, "VLSI implementation of a word-slice pipelined maximum selector for priority queues," 1997 Inter. Symp. On Communications (ISCOM '97), pp. 409-412, Dec. 1997.
182	C.-F. Wu, C.-C. Wang, R.-T. Hwang, and C.-H. Kao, "IDDQ testable configuration for PLAs by transformation into inverters," 7th Inter. Symp. On IC Technology, Systems, & Applications (ISIC-97), Singapore, pp. 398-401, Sep. 1997.
183	C.-C. Wang and H.-M. Yang, "A low-power high-speed FPGA logic module for DSP-specific applications' design," The 8th VLSI Design/CAD Symposium, pp. 325-328, Aug. 1997.
184	C.-C. Wang and K.-C. Tsai, "A 1.0 GHz 64-bit parallel comparator using two-phase clocking ANT dynamic logic," The 8th VLSI Design/CAD Symposium, pp. 149-152, Aug. 1997.
185	C.-C. Wang and C.-P. Kwan, "Low power technology mapping by hiding high-transition paths in invisible edges for LUT-based FPGAs," 1997 IEEE Inter. Symp. On Circuits & Systems (ISCAS '97), Hong Kong, Vol. 3, pp. 1536-1539, Jul. 1997.
186	C.-C. Wang and C.-F. Huang, "A study for switch count reduction of FPGA by doubling flexibility of logic block," The 7th VLSI Design/CAD Symposium, pp. 211-214, Aug. 1996.
187	C.-C. Wang and Y.-C. Chen, "Hardware realization of multi-valued exponential bidirectional associative memory using current-mode circuits," 1996 IEEE Inter. Symp. on Circuits & Systems, Vol. 3, pp. 503-506, May 1996.
188	C.-C. Wang and Y.-C. Chen, "VLSI implementation of multi-valued exponential bidirectional associative memory using current-mode circuits," National Computer Symposium 1995, pp. 114-121, Dec. 1995.

189	C.-C. Wang and M.-D. Jeng, "Power estimation of internal nodes for finite state machine using Gray code encoding in state assignment," National Computer Symposium 1995, pp. 842-949, Dec. 1995.
190	C.-C. Wang and I.-H. Horng, "Realization of bidirectional associative memory using a pseudo-parallel searching approach," 1995 IEEE International Conference on Neural Networks, Vol. 3, pp. 1502-1507, Dec. 1995.
191	C.-C. Wang and Y.-C. Chen, "Realization of asymptotically stable multi-valued exponential bidirectional associative memory by current-mode VLSI circuit," 1995 International Symposium on Artificial Neural Networks, pp. F2-13-18, Dec. 1995.
192	C.-C. Wang and C.-L. Fan, "Digital design of discrete exponential bidirectional associative memory," 1995 IEEE International Conference on Neural Networks, Vol. 4, pp. 2031-2036, Dec. 1995.
193	C.-C. Wang and M.-D. Jeng, "Power reduction for finite state machine by using Gray code encoding in state assignment," The First Symposium on Computer and Communication Technology, pp. 154-158, Oct. 1995.
194	C.-C. Wang and Y.-C. Chen, "Current-mode implementation of asymptotically stable multi-valued exponential bidirectional associative memory," The First Symposium on Computer and Communication Technology, pp. 143-148, Oct. 1995.
195	C.-C. Wang and Y.-L. Fan, "Low-power state assignment by greedy state pair grouping," The 6th VLSI Design/CAD Symposium, pp. 298-301, Aug. 1995.
196	C.-C. Wang and M.-D. Jeng, "Transition reduction for finite state machine using modified Huffman encoding algorithm," The 6th VLSI Design/CAD Symposium, pp. 294-297, Aug. 1995.
197	C.-C. Wang and J.-M. Wu, "Analysis and current-mode implementation of asymptotically stable exponential bidirectional associative memory," 1995 IEEE Inter. Sym. on Circuits & Systems (ISCAS '95), pp. 421-424, May 1995.
198	C.-C. Wang and I.-H. Horng, "Digital bidirectional associative memory using a pseudo-parallel searching approach," Proc. of 1995 Workshop on Computer Applications, Taichung, pp. 70-74, Apr. 1995.

199	C.-C. Wang and C.-L. Fan, "Digital realization of exponential bidirectional associative memory with dynamic storage," Proc. of 1995 Workshop on Computer Applications, Taichung, pp. 85-89, Apr. 1995.
200	C.-C. Wang, S.-M. Hwang, and J.-P. Lee, "The asymptotical stability of multi-level discrete exponential bidirectional associative memory," 1994 Inter. Computer Symposium, Hsin-Chu, pp. 302-307, Dec. 1994.
201	C.-C. Wang, S.-M. Hwang, and J.-P. Lee, "The absolute lowbound of the radix of multi-level discrete exponential bidirectional associative memories," Inter. Neural Networks Conf., Tai-Nan, pp. 1104-1107, Dec. 1994.
202	C.-C. Wang and J.-P. Lee, "The absolute lowbound for the radix of exponential bidirectional associative memory," Joint Conf. on Information Sciences '94, Pinehurst, North Carolina, Nov. 1994.
203	C.-C. Wang and C.-R. Tsai, "Data compression by the recursive algorithm of exponential bidirectional associative memory," Inter. Conf. on Neural Information Processing '94 - Seoul, Seoul, Korea, Oct. 1994.
204	C.-C. Wang and J.-P. Lee, "Searching algorithms of the optimal radix of exponential bidirectional associative memory," IEEE Inter. Conf. on Neural Networks, Orlando, Florida, pp. 1137-1142, Jun. 1994.
205	C.-C. Wang and C.-R. Tsai, "An analysis of practical capacity of exponential bidirectional associative memory," IEEE Inter. Conf. on Neural Networks, Orlando, Florida, pp. 1074-1079, Jun. 1994.
206	C.-C. Wang and J.-P. Lee, "The decision making rule of multiple exponential bidirectional associative memories," Inter. Joint Conf. on Neural Networks, Nagoya, Japan, pp. 2678-2681, Oct. 1993.
207	C.-C. Wang and H.-S. Don, "Measurement for fuzzy conditioning," The First National Symposium on Fuzzy Set Theory & Applications, Hsin-Chu, Taiwan, pp. 482-486, Jun. 1993.
208	T.-S. Horng, C.-C. Wang, and N. G. Alexopoulos, "Microstrip circuit design using neural networks," IEEE MTT-S International Microwave Symposium, 1993, pp. 413-416, Jun. 1993.

209	C.-C. Wang and H.-S. Don, "A modified measure for fuzzy subsethood," Inter. Conf. on Fuzzy Theory & Technology, Jan. 1993.
210	C.-C. Wang and H.-S. Don, "A centralized multi-BAM network for thinking behaviors of the evidential reasoning," The Fifth Irish Conference on Artificial Intelligence and Cognitive Science (AICS '92), Limerick, Ireland, Sep. 1992.
211	C.-C. Wang and H.-S. Don, "High-capacity discrete exponential BAM," Inter. Joint Conf. on Neural Networks, Baltimore, Maryland, Vol. 2, pp. 178-183, Jun. 1992.
212	C.-C. Wang and H.-S. Don, "A continuous belief function model for evidential reasoning," Canadian Artificial Intelligence Conf., AI '92, Vancouver, British Columbia, Canada, May 1992.
213	C.-C. Wang and H.-S. Don, "Robust measures for fuzzy entropy and fuzzy conditioning," Data Compression Conference '92, Mar. 1992.
214	C.-C. Wang and H.-S. Don, "Evidential reasoning using neural networks," Inter. Joint Conf. on Neural Networks, pp. 497-502, Nov. 1991.
215	C.-C. Wang and H.-S. Don, "A geometrical approach to evidential reasoning," IEEE Int. Conf. Systems, Man, and Cybernetics, Charlottesville, Virginia, Oct. 1991.
216	C.-C. Wang and H.-S. Don, "A new approach to evidential reasoning by a potential model," Proc. ISMM Int. Conf. Computer Applications in Design, Simulation and Analysis, Las Vegas, pp. 192-195, Mar. 1991.

專書

編號	著作名稱
1	王駿發，王朝欽，李聰，李昆忠，黃穎聰，董蘭榮，謝明得, "系統單晶片概論 SOC—第七章：SOC 系統混合訊號設計," McGraw-Hill Companies, Inc., Jan. 2006.
2	C.-C. Wang, R.-S. Kao, P.-M. Lee, and Y.-L. Huang, "A realized SONY PS2 1-to-4 joystick multiplexer interface," edited by G. Antoniou, N. Mastorakis, O. Panfilov, Reading : Electrical and Computer Engineering Series, Part 1 : Signal Processing, pp. 151-155, Sep. 2001.
3	C.-C. Wang, "硬體描述語言," 課程及實驗講義, 教育部 VLSI 系統與設計教育改進計劃, 1999.
4	C.-C. Wang, "超大型積體電路設計," 課程及實驗講義, 教育部 VLSI 系統與設計教育改進計劃, 1998.
5	C.-C. Wang, "高等 VLSI 設計," 課程講義, 教育部計算機系統教育改進計劃, 1995.
6	C.-C. Wang, "超大型積體電路設計," 課程講義, 教育部計算機系統教育改進計劃, 1994.
7	C.-C. Wang, "Heuristic modeling and learning for evidential reasoning," Ph. D. Thesis, 1992.